

ISO 3448 viscosity grades

ISO VG	Min cSt at 40 °C	Max cSt at 40 °C
2	1.98	2.42
3	2.88	3.52
5	4.14	5.06
7	6.12	7.48
10	9	11
15	13.5	16.5
22	19.8	24.2
32	28.8	35.2
46	41.4	50.6
68	61.2	74.8
100	90	110
150	135	165
220	198	242
320	288	352
460	414	506
680	612	748
1000	900	1100
1500	1350	1650
2200	1980	2420
3200	2880	3520

Midpoint ±10%.

Notes